

SILVERLINK 600



DF49 - Silverlink 600 Electric Counter-top Single Tank Fryer - 2 Baskets - W 450 mm - 9.0 kW The powerful Silverlink 600 Electric Single Tank Counter Top Fryer delivers 66 kg of chips per hour and features a two basket operation which gives you the flexibility of cooking different foods or loads simultaneously.

- Higher powered, single tank fryer with two baskets giving you the flexibility to cook different foods or loads simultaneously, delivering 66 kg of chips per hour
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris gives cleaner cooking results and saves money by prolonging the life of the oil
- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Failsafe top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil

Specifications

| - Capacini Sanisa | | | | |
|------------------------|-----------------------------------|-----------------------|------------|--|
| Summary | | Power and Performance | | |
| Range Name | Silverlink 600 | Total Power kW | 9.0 | |
| Power Type | Electric | Temperature Range °C | 130 - 190 | |
| Unit Type | Counter-top | IP Rating | IP33 | |
| Available in UK Only | No | Temperature Control | Mechanical | |
| UK Warranty | 2 Years Parts and Labour Warranty | | | |
| Export Warranty | Contact your local dealer | | | |
| GTIN Code | 5056105104636 | | | |
| | | | | |

| Key Specifications | | Weights and Dimensions | |
|--------------------|---------------|---------------------------|------|
| Capacity Litres | 15.0 | Unit Height (External) mm | 330 |
| Number of Baskets | 2 | Unit Width (External) mm | 450 |
| Number of Tanks | 1 | Unit Depth (External) mm | 632 |
| Gravity Filtration | No | Net Weight Kg | 17.2 |
| Pumped Filtration | No | | |
| Drain Location | Front-mounted | | |

| Supply Connections | | Shipping | |
|--------------------------------|---------------------------|------------------|------|
| Requires Installation | Yes | Packed Weight Kg | 23 |
| Requires Electrical Supply | Yes | Packed Height cm | 49.5 |
| UK 3 Pin Plug | No | Packed Width cm | 70 |
| Requires Hardwiring | Yes | Packed Depth cm | 55 |
| Electrical Supply Rating Watts | 9,000 | | |
| Single Phase Amps | 39.0 | | |
| Single Phase Voltage | 230 | | |
| Three Phase Amps | L1=13.0; L2=13.0; L3=13.0 | | |
| Three Phase Voltage | 400 | | |

Available Accessories

| BASKET SPUN DFSMALL |
|---------------------|
| |

CC4 Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 450 mm

Product Code: DF49 Page Number: 1 Print Date: 12/03/2019



SILVERLINK 600

Available Accessories

| CN4 | Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm |
|-----|---------------------------------------------------------------------------------|
|-----|---------------------------------------------------------------------------------|


DC03 DONUT KIT FOR DF46


HC4 Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 450 mm - 0.5 kW


HCL4 Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 450 mm - 0.5 kW

SLS4 Silverlink 600 Free-standing Floor Stand - for units W 450 mm

Technical Picture







Product Code: DF49 Page Number: 2 Print Date: 12/03/2019







Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm



Product Code: DF49 Page Number: 3 Print Date: 12/03/2019