

# Cam GoBox® 4060 - Multi-Purpose Front Loader



#### **STACKABILITY**

Cam GoBoxes inter-stack and also stack with major competitive brands.

#### **EASY IDENTIFICATION**

A built-in label area keeps plastic menu tags in place for easy content identification or routing. Dissolvable StoreSafe Labels can also be used with Cam GoBoxes.

#### **FULL 270° ACCESS**

Durable hinges and latches allow the door to open 270° and remain open securely to the side of the front loader for easy access to products. Latches keep door securely closed during transport.

#### DRIP-RESISTANT

Built-in condensation barrier helps front loaders to remain drip-resistant.



#### **4-SIDED HANDLING**

Thoughtfully designed built-in handles along the top of the front loader units allow them to be easily carried from all four sides.


#### **UNIQUE DESIGN**

Compartment for cold chiller plate or hot plate is located on the inner backwall to prevent overhead condensation drips and to evenly distribute temperature throughout the carrier.

#### **GENTLE OPEN AND CLOSE**

Beveled door edges ensure door can be easily closed and latched.







Multi-purpose front-loading carrier can be purchased with no molded-in rails providing the operator with the flexibility to load 60 x 40 cm crates of various depths.



Multi-purpose, no molded-in rail bakery carriers are designed for transporting 60 x 40 cm bakery crates filled with wrapped, prepackaged or bulk product.



Multi-purpose Front-Loading Carrier can be modified for versatility to include optional, stainless steel adjustable rails for transporting a combination of 60 x 40 cm crates, baking pans and trays, all in the same carrier.



Designed with adjustable rails providing the operator the flexibility to adjust and create custom spaces as needed inbetween the rails. (Shown with combination of 60 x 40 cm crates, baking pans and trays, all in the same carrier.)



Lightweight – Made of EPP (Expanded Polypropylene) an eco friendly high performance foam material.



Chemically Inert — unaffected by oil, grease and most chemicals.



Excellent Energy Absorption – can withstand substantial impact without damage.



Great Structural
Strength — capable of handling significant loads while maintaining its shape and form.



100% Recyclable.



Dishwasher safe.



Safe for food contact.



# Cam GoBox® 4060 - Front Loader 60 x 40 cm



# Front Loader with Adjustable Rails

The exclusive Multi-purpose carrier with Adjustable Rails is designed with 2 sets of stainless steel adjustable rails\* that provide the operator with maximum flexibility to transport a combination of 60 x 40 cm crates, baking pans and trays all in the same carrier.

\* Additional rails can be purchased separately. See Accessories.

	EPP4060FADJR
EXTERIOR DIM. L x W x H	77 x 54 x 68,7 cm
INTERIOR DIM. L x W x H	61,5 x 41 x 58,5 cm
UNIT WEIGHT	8,17 kg
VOLUME	155 L
COLOR	Black (110)
Case Pack: 1	



#### Front Loader without Rail

Multi-purpose, no molded-in rail bakery carriers are designed for transporting 60 x 40 cm crates filled with wrapped, prepackaged foods. This carrier can also be modified for versatility to include optional, stainless steel adjustable rails, EPP4060FPR1\*, for transporting a combination of 60 x 40 cm crates, baking pans and trays all in the same carrier.

\* See accessories.

	EPP4060FNR
EXTERIOR DIM. L x W x H	77 x 54 x 68,7 cm
INTERIOR DIM. L x W x H	61,5 x 41 x 58,5 cm
UNIT WEIGHT	6,1 kg
VOLUME	155 L
COLOR	Black (110)

Case Pack: 1



#### Front Loader with 6 Rails

Front-loading bakery carriers EPP4060F6R are available with 6 molded-in rails. These carriers are designed with extended wide rails specifically to hold 60 x 40 cm bakery pans, sheet pans and trays in place during transport, without worry of them falling or caving through.

	EPP4060F6R
EXTERIOR DIM. L x W x H	77 x 54 x 68,7 cm
INTERIOR DIM. L x W x H	61,5 x 41 x 58,5 cm
UNIT WEIGHT	6,34 kg
VOLUME	126 L
COLOR	Black (110)
Ossa Dask 1	

Case Pack: 1

Note: Best results will be achieved by loading sheet pans between 82° to 88°C.

Loading metal sheet pans over 120°C will result in damage to the carrier.



#### Front Loader with 9 Rails

Front-loading bakery carriers EPP4060F9R are available with 9 molded-in rails. These carriers are designed with extended wide rails specifically to hold 60 x 40 cm sheet pans and trays in place during transport, without worry of them falling or caving through.

	EPP4060F9R
EXTERIOR DIM. L x W x H	77 x 54 x 68,7 cm
INTERIOR DIM. L x W x H	61,5 x 41 x 58,5 cm
UNIT WEIGHT	6,6 kg
VOLUME	126 L
COLOR	Black (110)

 $\textbf{Case Pack:}\ 1$ 

Note: Best results will be achieved by loading sheet pans between 82° to 88°C. Loading metal sheet pans over 120°C will result in damage to the carrier.

# Cam GoBox® 4060 - Top Loader 60 x 40 cm



## 20 cm Deep Top Loader

Top loading 60 x 40 cm carrier are lightweight and designed to keep hot or cold food out of the danger zone for 4+ hours. Designed with enough space to transport bakery crates, along with cold plate Camchillers to enhance temperature retention. Ergonomic, recessed handles for convenient carrying and transporting.

	EPP4060T200
EXTERIOR DIM. L x W x H	49 x 69 x 27 cm
INTERIOR DIM. L x W x H	42,5 x 62,5 x 20,5 cm
UNIT WEIGHT	1,4 kg
VOLUME	53 L
COLOR	Black (110)
Case Pack: 1	



# 30 cm Deep Top Loader

Top loading extra deep, 60 x 40 cm carrier are lightweight and designed to keep hot or cold food out of the danger zone for 4+ hours. Designed with enough space to transport bakery crates, along with cold plate Camchillers to enhance temperature retention. Ergonomic, recessed handles for convenient carrying and transporting.

	EPP4060T300
EXTERIOR DIM. L x W x H	49 x 69 x 37 cm
INTERIOR DIM. L x W x H	42,5 x 62,5 x 30,5 cm
UNIT WEIGHT	1,7 kg
VOLUME	80 L
COLOR	Black (110)

Case Pack: 1

# Accessories



### Camchiller® CP3253

Cold plate (Camchillers) are designed to extend the cold holding time of your food. Simply freeze flat overnight and place at the top of your carrier.

#### Camwarmer® HP3253

Hot plates (Camwarmers) are designed to extend the hot holding time of your food. Place in a hot water bath for 40 minutes and place at the bottom of your carrier.

	CP3253	HP3253
DIMENSIONS L x W x H	53 x 32,5 x 3 cm	53 x 32,5 x 3 cm
UNIT WEIGHT	3,9 kg	3,25 kg
COLOR	Glacier Blue (443)	Fire Red (444)

Case Pack: 1



# Adjustable Rail Kit EPP4060FPR1 for EPP4060FNR

Stainless Steel frames and 2 sets of rails are designed to offer the operator the flexibility to adjust and create custom spaces as needed in-between the rails.

## Kit of Rails EPP4060FAR for EPP4060FPR1

Kit of 2 adjustable stainless steel rails can be purchased separately to transport more items within the same carrier.

	EPP4U6UFPR1
DIMENSIONS L x W x H	60 x 1 x 58 cm
UNIT WEIGHT	2,07 kg
COLOR	Silver (000)
Case Pack: 1	

	EPP4060FAR
DIMENSIONS L x W x H	60 x 3 x 3 cm
UNIT WEIGHT	0,42 kg
COLOR	Silver (000)
0 D I 1	

Case Pack: 1



#### Camdolly for 60 x 40 cm Cam GoBoxes

Available to safely stack and transport multiple carriers at one time. (4 swivel casters, 2 with brakes.)



# Plastic ID Labels

Easy identification colored menu labels assist operator with easy content identification and routing.

	CD4060EPP
DIMENSIONS L x W x H	71 x 51 x 16 cm
UNIT WEIGHT	5,27 kg
LOAD CAPACITY	250 kg
COLOR	Hot Red (158)
Case Pack: 1	
	EPPID5
COLOR	(000)
Case Pack: 1	



CAMBRO U.S.A. TEL: 1(714) 848-1555 FAX: 1(714) 230-4375 international@cambro.com

**CAMBRO EUROPEAN LOGISTICS** TEL: (49) 7022 90 100 0 FAX: (49) 7022 90 100 19 cambroeurope@cambro.com © Copyright Cambro Manufacturing Company. Printed in the U.S.A.

CAMBRO UK TEL: 0800 587 0057 Toll Free FAX: 0845 280 3411 cambrouk@cambro.com

CAMBRO IRELAND TEL: 1800 509 046 Toll Free FAX: 01 633 55 76 cambroireland@cambro.com