



EB6TFX - FilterFlow Counter-top Automatic Fill Twin-Tap Water Boiler - W 250 mm - 6.0 kW

The FilterFlow Automatic Fill Electric Twin-Tap Water Boiler is perfect for busy periods, such as when a coach load of holiday makers pull up outside your cafe and they all want hot drinks.

- ✓ Twin tap version, ideal for the busiest periods
- ✓ Narrow 250mm footprint saves valuable counter space without compromising capacity or performance
- ✓ Built-in water filtration system improves water quality and reduces scale build-up. High volume, easy change FilterFlow cartridge
- ✓ Easily operated from a large, colour touchscreen display. Menu navigation is quick and easy with the temperature and timer simple to adjust
- ✓ Eco setting reduces the volume of boiling water by 50% for quieter periods. The intelligent predictive eco setting learns usage patterns and switches between eco mode and standard mode to deliver the required hot water output in the most economical way
- ✓ 7-day timer allows the boiler to be programmed to switch off overnight or at weekends to conserve energy
- ✓ Enhanced diagnostics identify possible causes. The on screen diagnostic information will enable the engineer to identify the parts needed and repair your water boiler at first visit

Specifications

| Summary | | Power and Performance | |
|--------------------------------|-----------------------------------|---------------------------|------------|
| Range Name | FilterFlow | Hot and Cold Water Output | No |
| Power Type | Electric | Rapid Draw Off Litres | 18.0 |
| Unit Type | Counter-top | Total Power kW | 6.0 |
| Available in UK Only | No | Temperature Range °C | 70 - 98 |
| UK Warranty | 2 Years Parts and Labour Warranty | IP Rating | IP23 |
| Export Warranty | Contact your local dealer | Rapid Draw Off Cups | 90 |
| GTIN Code | 5056105105572 | Hourly Output Litres | 60 |
| | | Hourly Output Cups | 300 |
| | | Temperature Control | Electronic |
| Key Specifications | | Weights and Dimensions | |
| Capacity Litres | 22.0 | Unit Height (External) mm | 685 |
| Outlet | Twin-tap | Unit Width (External) mm | 250 |
| Dispense Lock | No | Unit Depth (External) mm | 525 |
| WRAS Approved | Yes | Net Weight Kg | 16.2 |
| Supply Connections | | Shipping | |
| Requires Installation | Yes | Packed Weight Kg | 19 |
| UK 3 Pin Plug | No | Packed Height cm | 53 |
| Requires Hardwiring | Yes | Packed Width cm | 78.5 |
| Electrical Supply Rating Watts | 6,000 | Packed Depth cm | 36.6 |
| Single Phase Amps | 26.0 | | |
| Single Phase Voltage | 230 | | |
| Water Connection BSPT | 3/4" | | |
| Water Connection Pressure Bar | 6.0 | | |

Available Accessories



BR56

EB6FX WALL BRACKET

Available Accessories

| | |
|------|-------------------------------|
| DP10 | DESCALER POWDER |
| FC04 | EBFX WATER FILTER - FROM 2015 |

Technical Picture



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday – Friday:

8.30am – 5pm